

	Type	Hits	Search Text	DBs
1	BRS	8705	(vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)	USPAT; US-PGPUB; EPO; JPO; DERWENT
2	BRS	64625	(adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light	USPAT; US-PGPUB; EPO; JPO; DERWENT
3	BRS	15	((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) same ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp))	USPAT; US-PGPUB; EPO; JPO; DERWENT
4	BRS	92084	(adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed control or controlling or controlled) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp)	USPAT; US-PGPUB; EPO; JPO; DERWENT

	<b>Time Stamp</b>	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
<b>1</b>	<b>2004/03/30 17:17</b>			<b>0</b>
<b>2</b>	<b>2004/03/30 16:56</b>			<b>0</b>
<b>3</b>	<b>2004/03/24 17:51</b>			<b>0</b>
<b>4</b>	<b>2004/03/24 18:32</b>			<b>0</b>

	Type	Hits	Search Text	DBs
5	BRS	15	((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) same (((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) same ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp)))	USPAT; US-PGPUB; EPO; JPO; DERWENT

	<b>Time Stamp</b>	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
<b>5</b>	<b>2004/03/24 17:59</b>			<b>0</b>

	Type	Hits	Search Text	DBs
6	BRS	0	(((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) same (((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) same ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp)))) not (((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) same ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Time Stamp	Comments	Error Definition	Errors
6	2004/03/24 17:59			0

	Type	Hits	Search Text	DBs
7	BRS	15	((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) and (((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) same ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp)))	USPAT; US-PGPUB; EPO; JPO; DERWENT
8	BRS	24	((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) same ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed control or controlling or controlled) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp)))	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Time Stamp	Comments	Error Definition	Errors
7	2004/03/24 18:00			0
8	2004/03/24 18:22			0



	Type	Hits	Search Text	DBs
9	BRS	9	(((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) same ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed control or controlling or controlled) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp))) not (((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) same ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp)))	USPAT; US-PGPUB; EPO; JPO; DERWENT
10	BRS	2937	cut adj2 off adj2 line	USPAT; US-PGPUB; EPO; JPO; DERWENT

	<b>Time Stamp</b>	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
<b>9</b>	<b>2004/03/24 18:09</b>			<b>0</b>
<b>10</b>	<b>2004/03/24 18:09</b>			<b>0</b>

	Type	Hits	Search Text	DBs
11	BRS	3	((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) and ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed control or controlling or controlled) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp)) and (cut adj2 off adj2 line)	USPAT; US-PGPUB; EPO; JPO; DERWENT
12	BRS	4805	((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed control or controlling or controlled) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp)) same speed	USPAT; US-PGPUB; EPO; JPO; DERWENT
13	BRS	5474	((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed control or controlling or controlled) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp)) same (speed or velocity)	USPAT; US-PGPUB; EPO; JPO; DERWENT

	<b>Time Stamp</b>	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
<b>11</b>	<b>2004/03/24 18:15</b>			<b>0</b>
<b>12</b>	<b>2004/03/24 18:23</b>			<b>0</b>
<b>13</b>	<b>2004/03/24 18:23</b>			<b>0</b>

	Type	Hits	Search Text	DBs
14	BRS	1	((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) and (((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed control or controlling or controlled) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp)) same (speed or velocity)) and (cut adj2.off adj2 line)	USPAT; US-PGPUB; EPO; JPO; DERWENT
15	BRS	24	((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) and (((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed control or controlling or controlled) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp)) same (speed or velocity))	USPAT; US-PGPUB; EPO; JPO; DERWENT

	<b>Time Stamp</b>	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
<b>14</b>	<b>2004/03/24 18:23</b>			<b>0</b>
<b>15</b>	<b>2004/03/24 18:23</b>			<b>0</b>

	Type	Hits	Search Text	DBs
16	BRS	14	(((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) and (((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed control or controlling or controlled) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp)) same (speed or velocity)) ) not (((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)) same ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed control or controlling or controlled) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp))))	USPAT; US-PGPUB; EPO; JPO; DERWENT
17	BRS	8713	(vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)	USPAT; US-PGPUB; EPO; JPO; DERWENT

	<b>Time Stamp</b>	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
<b>16</b>	<b>2004/03/24 18:23</b>			<b>0</b>
<b>17</b>	<b>2004/03/29 16:03</b>			<b>0</b>



	Type	Hits	Search Text	DBs
18	BRS	64703	(adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light	USPAT; US-PGPUB; EPO; JPO; DERWENT
19	BRS	231051	(sense or sensing or sensed or detect or detecting or detected or monitored or monitoring or monitored or measured or measured or measuring) near5 (speed or velocity)	USPAT; US-PGPUB; EPO; JPO; DERWENT
20	BRS	62	((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured) ) and ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp) ) and ((sense or sensing or sensed or detect or detecting or detected or monitored or monitoring or monitored or measured or measured or measuring) near5 (speed or velocity))	USPAT; US-PGPUB; EPO; JPO; DERWENT
21	IS&R	2885	((340/903) or (340/436) or (340/469) or (340/457.2) or (362/460) or (315/82) or (307/10.8) or (250/214d)).CCLS.	USPAT; US-PGPUB

	<b>Time Stamp</b>	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
<b>18</b>	<b>2004/03/29 17:50</b>			<b>0</b>
<b>19</b>	<b>2004/03/29 17:50</b>			<b>0</b>
<b>20</b>	<b>2004/03/29 17:47</b>			<b>0</b>
<b>21</b>	<b>2004/03/29 17:49</b>			<b>0</b>

	Type	Hits	Search Text	DBs
22	BRS	683	(((340/903) or (340/436) or (340/469) or (340/457.2) or (362/460) or (315/82) or (307/10.8) or (250/214d)).CCLS.) and ((sense or sensing or sensed or detect or detecting or detected or monitored or monitoring or monitored or measured or measured or measuring) near5 (speed or velocity))	USPAT; US-PGPUB; EPO; JPO; DERWENT
23	BRS	80060	(adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp or high ajd beam or low	USPAT; US-PGPUB; EPO; JPO; DERWENT
24	BRS	44	(((340/903) or (340/436) or (340/469) or (340/457.2) or (362/460) or (315/82) or (307/10.8) or (250/214d)).CCLS.) and ((sense or sensing or sensed or detect or detecting or detected or monitored or monitoring or monitored or measured or measured or measuring) near5 (speed or velocity))) and ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp or high ajd beam or low adi beam) )	USPAT; US-PGPUB; EPO; JPO; DERWENT

	<b>Time Stamp</b>	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
<b>22</b>	<b>2004/03/29 17:50</b>			<b>0</b>
<b>23</b>	<b>2004/03/29 17:51</b>			<b>0</b>
<b>24</b>	<b>2004/03/29 18:34</b>			<b>0</b>

	Type	Hits	Search Text	DBs
25	BRS	8713	(vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured)	USPAT; US-PGPUB; EPO; JPO; DERWENT
26	BRS	46	(((((340/903) or (340/436) or (340/469) or (340/457.2) or (362/460) or (315/82) or (307/10.8) or (250/214d)).CCLS.) and ((sense or sensing or sensed or detect or detecting or detected or monitored or monitoring or monitored or measured or measured or measuring) near5 (speed or velocity))) and ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp or high adj beam or low adj beam) )	USPAT; US-PGPUB; EPO; JPO; DERWENT

	<b>Time Stamp</b>	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
<b>25</b>	<b>2004/03/29 18:35</b>			<b>0</b>
<b>26</b>	<b>2004/03/29 18:52</b>			<b>0</b>

	Type	Hits	Search Text	DBs
27	BRS	13	<p> ((((340/903) or (340/436) or  (340/469) or (340/457.2) or  (362/460) or (315/82) or  (307/10.8) or (250/214d)).CCLS.)  and ((sense or sensing or sensed  or detect or detecting or  detected or monitored or  monitoring or monitored or  measured or measured or  measuring) near5 (speed or  velocity))) and ((adjust or  adjusting or adjusted or vary or  varied or varying or change or  changing or changed) with  (luminous or luminosity or  lumination or bright or  brightness or intensity or dim or  dimming or dimmed) with (light  or lamp or high adj beam or low  adj beam) ) ) and ((vehicle or  vehicular or intervehicle or  intervehicular or inter adj vehicle  or inter adj vehicular) with  (distance or separation) with  (measure or measurement or  measuring or measured) ) </p>	<p> USPAT;  US-PGPUB; EPO;  JPO; DERWENT </p>

	<b>Time Stamp</b>	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
<b>27</b>	<b>2004/03/29 18:36</b>			<b>0</b>



	Type	Hits	Search Text	DBs
28	BRS	20	(((340/903) or (340/436) or (340/469) or (340/457.2) or (362/460) or (315/82) or (307/10.8) or (250/214d)).CCLS.) and ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp or high adj beam or low adj beam) ) ) and ((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) with (distance or separation) with (measure or measurement or measuring or measured) )	USPAT; US-PGPUB; EPO; JPO; DERWENT
29	BRS	226	(((340/903) or (340/436) or (340/469) or (340/457.2) or (362/460) or (315/82) or (307/10.8) or (250/214d)).CCLS.) and ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp or high adj beam or low adj beam) )	USPAT; US-PGPUB; EPO; JPO; DERWENT

	<b>Time Stamp</b>	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
<b>28</b>	<b>2004/03/29 19:04</b>			<b>0</b>
<b>29</b>	<b>2004/03/30 16:58</b>			<b>0</b>

	Type	Hits	Search Text	DBs
30	BRS	13	(((340/903) or (340/436) or (340/469) or (340/457.2) or (362/460) or (315/82) or (307/10.8) or (250/214d)).CCLS.) and ((adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed) with (light or lamp or high adj beam or low adj beam) ) ) and cut adj off	USPAT; US-PGPUB; EPO; JPO; DERWENT
31	BRS	3761	cut adj off and (adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed or distribution) with (light or lamp or headlight or headlamp)	USPAT; US-PGPUB; EPO; JPO; DERWENT
32	BRS	1574	cut adj off with (light or lamp) and (adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed or distribution) with (light or lamp or headlight or headlamp)	USPAT; US-PGPUB; EPO; JPO; DERWENT

	<b>Time Stamp</b>	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
<b>30</b>	<b>2004/03/30 16:52</b>			<b>0</b>
<b>31</b>	<b>2004/03/30 16:57</b>			<b>0</b>
<b>32</b>	<b>2004/03/30 17:43</b>			<b>0</b>

	Type	Hits	Search Text	DBs
33	BRS	8	(((340/903) or (340/436) or (340/469) or (340/457.2) or (362/460) or (315/82) or (307/10.8) or (250/214d)).CCLS.) and (cut adj off with (light or lamp) and (adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed or distribution) with (light or lamp or headlight or headlamp))	USPAT; US-PGPUB; EPO; JPO; DERWENT
34	BRS	65	(vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) same (distance or separation) with (sensor or detector or sensing or detecting) with (inside or in\$1 or within) near5 (lamp or light)	USPAT; US-PGPUB; EPO; JPO; DERWENT
35	BRS	70	(vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) same (distance or separation) with (sensor or detector or sensing or detecting) with (inside or in\$1 or within) near5 (lamp or light or headlamp or headlight)	USPAT; US-PGPUB; EPO; JPO; DERWENT

	<b>Time Stamp</b>	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
<b>33</b>	<b>2004/03/30 16:58</b>			<b>0</b>
<b>34</b>	<b>2004/03/30 17:21</b>			<b>0</b>
<b>35</b>	<b>2004/03/30 17:21</b>			<b>0</b>

	Type	Hits	Search Text	DBs
36	BRS	209	cut adj off with (light or lamp or headlight or headlamp) same (adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed or distribution) with (light or lamp or headlight or headlamp)	USPAT; US-PGPUB; EPO; JPO; DERWENT
37	BRS	208	(cut adj off with (light or lamp or headlight or headlamp) same (adjust or adjusting or adjusted or vary or varied or varying or change or changing or changed) with (luminous or luminosity or lumination or bright or brightness or intensity or dim or dimming or dimmed or distribution) with (light or lamp or headlight or headlamp)) not ((vehicle or vehicular or intervehicle or intervehicular or inter adj vehicle or inter adj vehicular) same (distance or separation) with (sensor or detector or sensing or detecting) with (inside or in\$1 or within) near5 (lamp or light or headlamp or headlight))	USPAT; US-PGPUB; EPO; JPO; DERWENT

	<b>Time Stamp</b>	<b>Comments</b>	<b>Error Definition</b>	<b>Errors</b>
<b>36</b>	<b>2004/03/30 17:44</b>			<b>0</b>
<b>37</b>	<b>2004/03/30 17:44</b>			<b>0</b>